



PRODUCT BULLETIN

9000 Waste Paint Solidifier

Rev.Date 10-07
page-1 of 1

General Description

DoradoSet™ 9000 Waste Paint Solidifier offers an environmentally safe way to dispose of old latex paint. Using up all your paint is always the best option, but if this option is not available to you. Most landfills do not accept latex paint in a liquid form so save yourself time and money by simply adding this product to your paint. It is great for quickly containing job site paint spills. Keep a bag in your pocket or tool kit at all times for annoying spills that would otherwise eat away a valuable productive hours.

Features and benefits

- One bag will harden up to 2/3 of a gallon of left over paint and one 30lb pail will harden approximately 107 gallons
- Non-regulated by the U.S. D.O.T.
- Easy to use
- Works in minutes
- Non-toxic
- Curb side disposal
- Environmentally sound

Recommended Usage

- Disposal of latex paint
- Disposal of any water-based product that otherwise is safe for disposal in a landfill, except for the fact that it is a liquid
- Spills of the above materials

Product Data

- Appearance: White granular
- Density: 25-31lbs / cubic foot
- 1 bag solidifies up to 2/3 of a gallon (2.5L) of water-based paint. 5 gallon of waste paste hardener will harden approximately 107 gallons of water-based paint.

Safety requirements

Proper safety procedures should be followed at all times while handling this product. Refer to the Material Safety Data Sheet for important health/safety information before use.

Disposal

Dispose of hardened paint in accordance with applicable environmental and government regulations.

Directions for use

- Simply add the crystals to the waste or spilled latex paint. One cup of water may be added to thick paint for ease of use.
- Stir paint until thick. Scrape spills into a pile.
- Dispose of as regular garbage in accordance with local regulations

WARNING! If you scrape, sand, or remove old paint, you may release lead dust or fumes. LEAD IS TOXIC. EXPOSURE TO LEAD DUST OR FUMES CAN CAUSE SERIOUS ILLNESS, SUCH AS BRAIN DAMAGE, ESPECIALLY IN CHILDREN. PREGNANT WOMEN SHOULD ALSO AVOID EXPOSURE. Wear a properly fitted NIOSH-approved respirator and prevent skin contact to control lead exposure. Clean up carefully with a HEPA vacuum and a wet mop. Before you start, find out how to protect yourself and your family by contacting the USEPA National Lead Information Hotline at 1-800-424-LEAD or log on to www.epa.gov/lead. In Canada contact a regional Health Canada office. Follow these instructions to control exposure to other hazardous substances that may be released during surface preparation.

Packaging

3.5oz/99g x 12 bags/ case
30 lb (5 USGal18.9L) pail

PRC-DeSoto International, Inc., Eldorado Commercial Products Division 12780 San Fernando Road, Sylmar, CA 91342
Manufacturing: McKinney, Texas www.eldoradochem.com email: techsupport@eldoradochem.com
Toll Free: (800) 531-1088 or International Calls: (317) 328-4654

NOTICE: The information presented here is based upon our laboratory tests and field use experience. Since conditions of actual use are beyond our control, any recommendations or suggestions are made without warranty, express or implied.